

MICHAEL ALUMINUM

EXTRUDED SHAPES • SHEET • PLATE

Product Catalog



Next Day Delivery



7 Marlen Drive Suite A
Hamilton Township, New
Jersey, 08691
United States

(609) - 575 - 1490
(609) - 929 - 4680

mjohn@michaelaluminum.com
stuart@michealaluminum.com

TABLE OF CONTENTS

Click a section to go to it 



ORDER NOW

1-2

SQUARE TUBE

3-4

RECTANGULAR TUBE

5

ARCHITECTURAL CHANNEL

6

RAILING INVENTORY

7

FLAT BAR

8

ARCHITECTURAL ANGLE

9

SQUARE BAR + ROUND ROD

10-11

PIPE

12

FENCING INVENTORY

13-14

FENCE STIFFENERS

15

5 IN POST STIFFENERS

16

**ROUND + SQUARE SPINDLES
(BLACK POWDER COATED).**

17

SHEET / PLATE

18


CANOPY SYSTEM

19

AWNING - STAPLE SYSTEM

20


ROUND TUBE



Square Tube (6063 T52 - MILL FINISH)

Part Number	Size (A x B)	Length(In)	Approx. wt/lin ft
<i>Mill Order</i>	<i>5/8" Sq. x .045" w.</i>	<i>288</i>	<i>0.122</i>
105-40-63	5/8" Sq. x .062" w.	288	0.168
105-40-63-32	5/8" Sq. x .062" w.	32	0.168
110-40-63	3/4" Sq. x .062" w.	288	0.205
115-40-63	3/4" Sq. x .125" w.	288	0.374
120-40-63	1" Sq. x .062" w.	288	0.278
123-40-63R	1" Sq. x .093" w. Rad. Corner	288	0.392
125-40-63	1" Sq. x .125" w.	288	0.524
125-40-63R	1" Sq. x .125" w. Rad. Corner	288	0.51
<i>Mill Order</i>	<i>1 1/4" Sq. x .062" w.</i>	<i>288</i>	<i>0.353</i>
131-40-63	1 1/4" Sq. x .093" w.	288	0.516
130-40-63	1 1/4" Sq. x .125" w.	288	0.675
<i>Mill Order</i>	<i>1 1/2" Sq. x .062" w.</i>	<i>288</i>	<i>0.433</i>
135-40-63	1 1/2" Sq. x .093" w.	288	0.632
140-40-63	1 1/2" Sq. x .125" w.	288	0.824
<i>Mill Order</i>	<i>1 1/2" Sq. x .1875" w.</i>	<i>288</i>	<i>1.184</i>
<i>Mill Order</i>	<i>1 1/2" Sq. x .250" w.</i>	<i>288</i>	<i>1.500</i>
<i>Mill Order</i>	<i>1 3/4" Sq. x .125" w.</i>	<i>288</i>	<i>0.956</i>
151-40-63	2" Sq. x .062" w.	288	0.6
150-40-63	2" Sq. x .093" w.	288	0.851
155-40-63	2" Sq. x .125" w.	288	1.126
156-40-63R	2" Sq. x .125" w. Rad. Corner	288	1.11
157-40-63	2" Sq. x .1875" w.	288	1.63
Mill Order	2" Sq. x 3/16" w. rad Corner	288	1.570


Available for Mill Order



Square Tube (6063 T52 - MILL FINISH) *Continued*

Part Number	Size (A x B)	Length(In)	Approx. wt/lin ft
160-40-63	2" Sq. x .250" w.	288	2.1
<i>Mill Order</i>	<i>2 1/2" Sq. x .075" w.</i>	<i>288</i>	<i>.874</i>
170-40-63 (6105 T5)	2 1/2" Sq. x .093" w.	288	1.086
175-40-63	2 1/2" Sq. x .125" w.	288	1.425
180-40-63	3" Sq. x .125" w.	288	1.726
<i>Mill Order</i>	<i>3" Sq. x .1875" w.</i>	<i>288</i>	<i>2.487</i>
183-40-63	3" Sq. x .250" w.	288	3.234
<i>Mill Order</i>	<i>3" Sq. x .375" w.</i>	<i>288</i>	<i>4.631</i>
<i>Mill Order</i>	<i>3 1/2" Sq. x .150" w.</i>	<i>288</i>	<i>3.822</i>
185-40-63	4" Sq. x .125" w.	288	2.324
<i>Mill Order</i>	<i>4" Sq. x .1875" w.</i>	<i>288</i>	<i>3.372</i>
<i>Mill Order</i>	<i>4" Sq. x .250" w.</i>	<i>288</i>	<i>4.410</i>
<i>Mill Order</i>	<i>4" Sq. x .375" w.</i>	<i>288</i>	<i>6.395</i>
<i>Mill Order</i>	<i>4" Sq. x .500" w.</i>	<i>288</i>	<i>8.232</i>
190-40-63	5" Sq. x .125" w.	288	2.93
200-40-63	6" Sq. x .125" w.	288	3.525
205-40-05 (6005 T61)	6" Sq. x .250" w.	288	6.762
<i>Mill Order</i>	<i>6" Sq. x .1875" w.</i>	<i>288</i>	<i>5.245</i>
<i>Mill Order</i>	<i>6" Sq. x .375" w.</i>	<i>288</i>	<i>9.923</i>
<i>Mill Order</i>	<i>6" Sq. x .500" w.</i>	<i>288</i>	<i>12.936</i>
215-40-05 (6005 T61)	8" Sq. x .1875" w.	288	6.891
<i>Mill Order</i>	<i>8" Sq. x .250" w.</i>	<i>288</i>	<i>9.114</i>
<i>Mill Order</i>	<i>8" Sq. x .375" w.</i>	<i>288</i>	<i>13.451</i>
<i>Mill Order</i>	<i>8" Sq. x .500" w.</i>	<i>288</i>	<i>17.640</i>


Available for Mill Order



Rectangular Tube (6063 T52 - MILL FINISH)

Part Number	Size (X x Y x Z)	Length(In)	Approx. wt/lin ft
100-45-63	3/4" x 1 1/2" x .062" w.	288	0.313
105-45-63R	1" x 2" x .093" w. Rad Corner	288	0.628
110-45-63	1" x 2" x .125" w.	288	0.826
120-45-63	1" x 3" x .125" w.	288	1.125
130-45-63	1" x 4" x .080" w.	288	0.929
131-45-63R	1" x 4" x .080" Rad Corner	288	0.915
<i>Mill Order</i>	<i>1" x 4" x .125" w.</i>	<i>288</i>	<i>1.397</i>
<i>Mill Order</i>	<i>1" x 5" x .125" w.</i>	<i>288</i>	<i>1.691</i>
<i>Mill Order</i>	<i>1" x 6" x .125" w.</i>	<i>288</i>	<i>1.985</i>
140-45-63	1 1/2" x 2" x .125" w.	288	0.976
142-45-63 (6063 T6)	1 1/2" x 2 1/2" x 1/8" w.	288	1.125
<i>Mill Order</i>	<i>1 1/2" x 3" x .125" w.</i>	<i>288</i>	<i>1.250</i>
<i>Mill Order</i>	<i>1 3/4" x 3" x .125" w.</i>	<i>288</i>	<i>1.323</i>
145-45-63	2" x 3" x .125" w.	288	1.426
<i>Mill Order</i>	<i>2" x 3" x .250" w.</i>	<i>288</i>	<i>2.646</i>
150-45-63	2" x 4" x .125" w.	288	1.724
<i>150-45-63R</i>	<i>2" x 4" x .125" w. Rad Corner</i>	<i>288</i>	<i>1.661</i>
<i>Mill Order</i>	<i>2" x 4" x .188" w.</i>	<i>288</i>	<i>2.487</i>
<i>Mill Order</i>	<i>2" x 4" x .250" w.</i>	<i>288</i>	<i>3.234</i>
<i>Mill Order</i>	<i>2" x 5" x .125" w.</i>	<i>288</i>	<i>1.985</i>
160-45-63	2" x 6" x .125" w.	288	2.326
<i>Mill Order</i>	<i>2" x 6" x .250" w.</i>	<i>288</i>	<i>4.410</i>


Available for Mill Order



Rectangular Tube (6063 T52 - MILL FINISH)

Part Number	Size (X x Y x Z)	Length(In)	Approx. wt/lin ft
170-45-63	2" x 8" x .125" w.	288	2.925
190-45-63	2" x 10" x .125" w.	288	3.455
<i>Mill Order</i>	<i>3" x 4" x .125" w.</i>	<i>288</i>	<i>1.985</i>
<i>Mill Order</i>	<i>3" x 4" x .250" w.</i>	<i>288</i>	<i>3.822</i>
<i>Mill Order</i>	<i>3" x 6" x .125" w.</i>	<i>288</i>	<i>2.573</i>
<i>Mill Order</i>	<i>3" x 6" x .250" w.</i>	<i>288</i>	<i>4.998</i>
200-45-05 (6005 T61)	4" x 6" x .250" w.	288	5.586
<i>Mill Order</i>	<i>4" x 6" x .500" w.</i>	<i>288</i>	<i>10.584</i>
220-45-61 (6061 T6)	4" x 8" x .250" w.	288	6.780
<i>Mill Order</i>	<i>4" x 8" x .500" w.</i>	<i>288</i>	<i>12.936</i>
<i>Mill Order</i>	<i>5" x 8" x .375" w.</i>	<i>288</i>	<i>10.805</i>
<i>Mill Order</i>	<i>6" x 8" x .375" w.</i>	<i>288</i>	<i>11.687</i>

Available for Mill Order



Architectural Channel (6063 T52 - MILL FINISH)

Part Number	Size (X x Y x Z)	Length(In)	Approx. wt/lin ft
105-20-63	1" x 1/2" x 1/8" w.	240	0.262
110-20-63	1" x 1" x 1/8" w.	240	0.412
<i>120-20-63</i>	<i>1 1/4" x 1/2" x 1/8" w.</i>	<i>240</i>	<i>0.3</i>
120-20-63-288	1 1/4" x 1/2" x 1/8" w.	288	0.3
<i>121-20-63</i>	<i>1 1/4" x 3/4" x 1/8" w.</i>	<i>240</i>	<i>0.376</i>
121-20-63-288	1 1/4" x 3/4" x 1/8" w.	288	0.376
125-20-63	1 1/2" x 1/2" x 1/8" w.	240	0.337
125-20-63-288	1 1/2" x 1/2" x 1/8" w.	288	0.337
<i>130-20-63</i>	<i>1 1/2" x 3/4" x 1/8" w.</i>	<i>240</i>	<i>0.413</i>
131-20-63	1 1/2" x 3/4" x 1/8" w.	288	0.413
145-20-63	1 1/2" x 1 1/2" x 1/8" w.	240	0.637
<i>155-20-63</i>	<i>2" x 1" x 1/8" w.</i>	<i>240</i>	<i>0.563</i>
155-20-63-288	2" x 1" x 1/8" w.	288	0.563
160-20-63-288	2" x 2" x 1/8" w.	288	0.861




Railing Custom Inventory

Dixie Cap Railing 6063 T5 x 20' Long


120-100-63

1.750" Small Dixie Cap
Accepts 1" and 1 1/4" Channel




121-100-63

1.928" Medium Dixie Cap
Accepts 1" and 1 1/4" Channel



122-100-63


2.25" Large Dixie Cap
Accepts 1 1/4" and 1 1/2" Channel



Colonial Railing 6063 T5 x 20' Long


150-100-63

2 1/2 Colonial Top
Accepts 3/4" Picket



151-100-63



2 1/4 Colonial Bottom







Hollow Top Cap 6063 T5 x 24' Long

140-100-63

2 5/8 Hollow Top Cap
Accepts 3/4" and 1" Pickets
~Use with 2 in Post



Pickets	QuikRok	Posts (A x B)
1/2" Sq. Bar 5/8" Sq. Bar 3/4" Sq. Bar 5/8" x .062" w. Sq. Tube 3/4" sq x .062" w. Sq. Tube 3/4" x 1 1/2" x .062" Rect. Tube	Hydraulic Cement: QR-100-PAIL Quik Rok is not to be used for anchoring balcony railings or other similar life safety structures. 	2" x 1/4" .w. Sq Tube 2 1/2" x .093" w. Sq Tube 2 1/2" x 1/8" w. Sq Tube 3" x 1/8" w. Sq Tube 4" 1/8" w. Sq Tube
Horizontal Pickets	Channels (X x Y x Z)	
1/2" Sch 40 Pipe (A) 3/4" x 1/8" Round Tube (A x B)	1 1/4" x 1/2" x 24' 1 1/2" x 1/2" x 1/8" x 24' 1 1/4 x 1/2" x 1/8" x 24' 1 1/4 x 3/4 x 1/8 x 24' 1 1/2 x 3/4 x 1/8 x 24' 2" x 1" x 1/8 24'	
		




Flat Bar (6061 T6511 - MILL FINISH)

Part Number	Size (TxW)	Length(In)	Approx. wt/lin ft
110-30-61	1/8" x 1.0"	144	0.15
111-30-05 (6005A - T61)	1/8" x 1.0"	144	0.15
<i>134-30-61</i>	<i>1/4" x 3.0"</i>	<i>144</i>	<i>0.9</i>
136-30-61	1/4" x 4.0"	144	1.2
140-30-61	3/8" x 3/4"	144	0.338
144-30-61	3/8" x 4.0"	144	1.8
146-30-61	3/8" x 5.0"	144	2.25
148-30-61	3/8" x 6.0"	144	2.7
152-30-61	1/2" x 1.0"	144	0.6
153-30-61	1/2" x 2.0"	144	1.2
150-30-61	1/2" x 6.0"	144	3.528
170-30-61	1/2" x 8.0"	144	4.704

Flat Bar (6063 T52 - MILL FINISH)


Part Number	Size (TxW)	Length(In)	Approx. wt/lin ft
<i>110-30-63</i>	<i>1/8" x 1.0"</i>	<i>240</i>	<i>0.15</i>
<i>111-30-63</i>	<i>1/8" x 2.0"</i>	<i>240</i>	<i>0.3</i>
120-30-63	3/16" x 1.0"	240	0.225
121-30-63	3/16" x 1 1/2"	240	0.337
122-30-63	3/16" x 2.0"	240	0.451
132-30-63	1/4" x 2.0"	240	0.6
134-30-63	1/4" x 3.0"	240	0.9
136-30-63	1/4" x 4.0"	240	1.2
140-30-63	3/8" x 3/4"	240	0.338
141-30-63	3/8" x 1.0"	240	0.45
142-30-63	3/8" x 1 1/2"	240	0.674
143-30-63	3/8" x 2.0"	240	0.9
146-30-63	3/8" x 5.0"	240	0.9
147-30-63	3/8" x 6.0"	240	2.7



Architectural Angle (6063 T52 - MILL FINISH)


Part Number	Size (A x B x C)	Length(In)	Approx. wt/lin ft
110-60-63	3/4" x 3/4" x 1/8" w. SC Angle	240	0.206
120-60-63	1" x 1" x 1/8" w. SC Angle	240	0.281
<i>130-60-63</i>	<i>1 1/4" x 1 1/4" x 1/8" w. SC Angle</i>	<i>240</i>	<i>0.356</i>
140-60-63	1 1/2" x 1 1/2" x 1/8" w. SC Angle	240	0.431
142-60-63	1 1/2" x 1 1/2" x 3/16" w. SC Angle	240	0.633
150-60-63	2" x 2" x 1/8" w. SC Angle	240	0.581
153-60-63	2" x 2" x 3/16" w. SC Angle	240	0.856
155-60-63	2" x 2" x 1/4" w. SC Angle	240	1.124
170-60-63	3" x 3" x 1/4" w. SC Angle	240	1.726

Square Bar (6063 T52- MILL FINISH)




Part Number	Size (X)	Length(In)	Approx. wt/lin ft
500-90-63	1/2"	240	0.3
505-90-63	5/8"	240	0.458
510-90-63	3/4"	240	0.674

Round Rod (6061 T6511- MILL FINISH)



Part Number	Size (X)	Length(In)	Approx. wt/lin ft
130-25-61	1.375"	144	0.45
200-25-61	2.0"	144	0.45

Available for Mill Order




Sch 40 Pipe (6063 T52 - MILL FINISH)

Part Number	Size	OD x ID x Wall	Length(In)	Approx. wt/lin ft
<i>Mill Order</i>	<i>1/4"</i>	<i>.540 x .364 x .083</i>	<i>240</i>	<i>0.147</i>
<i>Mill Order</i>	<i>3/8"</i>	<i>.675 x .493 x .091</i>	<i>240</i>	<i>0.196</i>
101-55-63-288	1/2"	.840 x .622 x .109	288	0.294
<i>Mill Order</i>	<i>3/4"</i>	<i>1.050 x .824 x .113</i>	<i>240</i>	<i>0.391</i>
110-55-63	1.0"	1.315 x 1.049 x .133	240	0.581
115-55-63	1 1/4"	1.660 x 1.380 x .140	240	0.786
120-55-63	1 1/2"	1.900 x 1.610 x .145	240	0.940
125-55-63	2.0"	2.375 x 2.067 x .154	240	1.264
<i>Mill Order</i>	<i>2 1/2"</i>	<i>2.875 x 2.469 x .203</i>	<i>240</i>	<i>2.004</i>
<i>Mill Order</i>	<i>3.0"</i>	<i>3.500 x 3.068 x .216</i>	<i>240</i>	<i>2.621</i>
<i>Mill Order</i>	<i>3 1/2"</i>	<i>4.000 x 3.548 x .226</i>	<i>240</i>	<i>3.151</i>
<i>Mill Order</i>	<i>4.0"</i>	<i>4.500 x 4.026 x .237</i>	<i>240</i>	<i>3.733</i>

Sch 40 Pipe (6061 T6 - MILL FINISH)

Part Number	Size	OD x ID x Wall	Length(In)	Approx. wt/lin ft
<i>110-55-61</i>	<i>1.0"</i>	<i>1.315 x 1.049 x .133</i>	<i>240</i>	<i>0.581</i>
115-55-61	1 1/4"	1.660 x 1.380 x .140	240	1.264
120-55-61	1 1/2"	1.900 x 1.610 x .145	240	0.940
<i>125-55-61</i>	<i>2.0"</i>	<i>2.375 x 2.067 x .154</i>	<i>240</i>	<i>1.264</i>
<i>Mill Order</i>	<i>2 1/2"</i>	<i>2.875 x 2.469 x .203</i>	<i>240</i>	<i>2.004</i>
<i>Mill Order</i>	<i>3.0"</i>	<i>3.500 x 3.068 x .216</i>	<i>240</i>	<i>2.621</i>
<i>Mill Order</i>	<i>3 1/2"</i>	<i>4 x 3.548 x .226</i>	<i>240</i>	<i>3.151</i>
<i>Mill Order</i>	<i>4.0"</i>	<i>4.500 x 4.026 x .237</i>	<i>240</i>	<i>3.733</i>
<i>Mill Order</i>	<i>5.0"</i>	<i>5.563 x 5.047 x .258</i>	<i>240</i>	<i>5.057</i>
<i>Mill Order</i>	<i>6.0"</i>	<i>6.625 x 6.065 x .280</i>	<i>240</i>	<i>6.564</i>
<i>Mill Order</i>	<i>8.0"</i>	<i>8.625 x 7.981 x .322</i>	<i>240</i>	<i>9.878</i>
<i>Mill Order</i>	<i>10.0"</i>	<i>10.750 x 10.020 x .365</i>	<i>240</i>	<i>14.288</i>
<i>Mill Order</i>	<i>12.0"</i>	<i>12.750 x 11.938 x .406</i>	<i>240</i>	<i>18.893</i>

Available for Mill Order



Sch 80 Pipe (6063 T52 - MILL FINISH)

Part Number	Size	OD x ID x Wall	Length(In)	Approx. wt/lin ft
<i>Mill Order</i>	<i>1.0"</i>	<i>1.315 x .957 x .179 (T5)</i>	<i>240</i>	<i>0.751</i>
<i>Mill Order</i>	<i>1 1/4"</i>	<i>1.660 x 1.278 x .191</i>	<i>240</i>	<i>1.037</i>
<i>Mill Order</i>	<i>1 1/2"</i>	<i>1.900 x 1.500 x .200</i>	<i>240</i>	<i>1.256</i>
<i>Mill Order</i>	<i>2.0"</i>	<i>2.375 x 1.939 x .218</i>	<i>240</i>	<i>1.737</i>
<i>Mill Order</i>	<i>3.0"</i>	<i>3.500 x 2.900 x .300</i>	<i>240</i>	<i>3.547</i>
<i>Mill Order</i>	<i>4.0"</i>	<i>4.500 x 3.826 x .337</i>	<i>240</i>	<i>5.183</i>

Sch 80 Pipe (6061 T6 - MILL FINISH)

Part Number	Size	OD x ID x Wall	Length(In)	Approx. wt/lin ft
<i>Mill Order</i>	<i>1.0"</i>	<i>1.315 x .957 x .179</i>	<i>240</i>	<i>0.751</i>
<i>Mill Order</i>	<i>1 1/4"</i>	<i>1.660 x 1.278 x .191</i>	<i>240</i>	<i>1.037</i>
<i>Mill Order</i>	<i>1 1/2"</i>	<i>1.900 x 1.500 x .200</i>	<i>240</i>	<i>1.256</i>
<i>Mill Order</i>	<i>2.0"</i>	<i>2.375 x 1.939 x .218</i>	<i>240</i>	<i>1.737</i>
<i>Mill Order</i>	<i>2.0"</i>	<i>2.375 x 1.910 x .233</i>	<i>240</i>	<i>1.878</i>
<i>Mill Order</i>	<i>2 1/2"</i>	<i>2.875 x 2.323 x .276</i>	<i>240</i>	<i>2.705</i>
<i>Mill Order</i>	<i>3.0"</i>	<i>3.500 x 2.900 x .300</i>	<i>240</i>	<i>3.547</i>
<i>Mill Order</i>	<i>3 1/2"</i>	<i>4.000 x 3.364 x .318</i>	<i>240</i>	<i>4.414</i>
<i>Mill Order</i>	<i>4.0"</i>	<i>4.500 x 3.826 x .337</i>	<i>240</i>	<i>5.288</i>
<i>Mill Order</i>	<i>5.0"</i>	<i>5.563 x 4.813 x .375</i>	<i>240</i>	<i>7.188</i>
<i>Mill Order</i>	<i>6.0"</i>	<i>6.625 x 5.761 x .432</i>	<i>240</i>	<i>9.884</i>
<i>Mill Order</i>	<i>8.0"</i>	<i>8.625 x 7.625 x .500</i>	<i>240</i>	<i>15.010</i>

Sch 10 Pipe (6063 T52 - MILL FINISH)


Part Number	Size	OD x ID x Wall	Length(In)	Approx. wt/lin ft
<i>Mill Order</i>	<i>1.0"</i>	<i>1.315 x 1.097 x .109</i>	<i>240</i>	<i>0.486</i>
<i>Mill Order</i>	<i>1 1/4"</i>	<i>1.660 x 1.442 x .109</i>	<i>240</i>	<i>0.625</i>
<i>Mill Order</i>	<i>1 1/2"</i>	<i>1.900 x 1.682 x .109</i>	<i>240</i>	<i>0.721</i>
<i>Mill Order</i>	<i>2.0"</i>	<i>2.375 x 2.157 x .109</i>	<i>240</i>	<i>0.931</i>
<i>Mill Order</i>	<i>2 1/2"</i>	<i>2.875 x 2.635 x .120</i>	<i>240</i>	<i>1.221</i>
<i>Mill Order</i>	<i>3.0"</i>	<i>3.500 x 3.260 x .120</i>	<i>240</i>	<i>1.498</i>
<i>Mill Order</i>	<i>4.0"</i>	<i>4.500 x 4.260 x .120</i>	<i>240</i>	<i>1.942</i>
<i>Mill Order</i>	<i>5.0"</i>	<i>5.563 x 5.295 x .134</i>	<i>240</i>	<i>2.686</i>
<i>Mill Order</i>	<i>6.0"</i>	<i>6.625 x 6.357 x .134</i>	<i>240</i>	<i>3.214</i>

Available for Mill Order


Fencing Custom Inventory

Post Stiffeners

5" Post Stiffener




A Stiffener




Rail Stiffeners


H - Stiffener




h - Stiffener




T - Stiffener




U - Stiffener



P - Stiffener




J - Stiffener




Square Tube (A x B)

2" x .062
2" x .125
2" x .250
3" x .125
4" x .125
6" x .125



Rectangular Tube

1 x 3"



Sharp Corner

1 x 4"



Radius Corner

1 x 4"




QuikRok

Quik Rok is not to be used for anchoring balcony railings or other similar life safety structures.






Fence Stiffeners (6063 T6 - MILL FINISH)



H-Stiffeners


Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
10-80-63-72-H	H-Stiffener 1.723" x 3.165" x .062" wall	72	0.59
11-80-63-94-H	H-Stiffener 1.723" x 3.165" x .062" wall	94	0.59
12-80-63-96-H	H-Stiffener 1.723" x 3.165" x .062" wall	96	0.59
13-80-63-120-H	H-Stiffener 1.723" x 3.165" x .062" wall	120	0.59
14-80-63-192-H	H-Stiffener 1.723" x 3.165" x .062" wall	192	0.59

h-Stiffeners (6063 T6 - MILL FINISH)




Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
20-81-63-48-h	h-Stiffener w/tabs 1.70" x 3.15" x .060" wall	48	0.412148
21-81-63-72-h	h-Stiffener w/tabs 1.70" x 3.15" x .060" wall	72	0.412148
22-81-63-96-h	h-Stiffener w/tabs 1.70" x 3.15" x .060" wall	96	0.412148

P-Stiffeners (6063 T6 - MILL FINISH)




Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
80-63-48	P-Stiffener 1.70" x 3.15" x .060" wall	48	0.61
80-63-60	P-Stiffener 1.70" x 3.15" x .060" wall	60	0.61
80-63-72	P-Stiffener 1.70" x 3.15" x .060" wall	72	0.61
80-63-96	P-Stiffener 1.70" x 3.15" x .060" wall	96	0.61
80-63-120	P-Stiffener 1.70" x 3.15" x .060" wall	120	0.61

J-Stiffeners (6063 T6 - MILL FINISH)



Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
82-63-48	2" x 3.5" x .055" wall	48	0.328

U-Stiffeners (6063 T6 - MILL FINISH)




Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
81-63-94	1.765" x 1.25" x .050" wall	94	0.247

Available for Mill Order




Fence Stiffeners (6063 T6 - MILL FINISH) *Continued*

T-Stiffeners (6063 T6 - MILL FINISH)



Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
<i>10-82-63-94-T</i>	<i>T-Stiffener 1.765" x 3.15" x .055" wall</i>	<i>94</i>	<i>0.3464</i>
<i>10-82-63-96-T</i>	<i>T-Stiffener 1.765" x 3.15" x .055" wall</i>	<i>96</i>	<i>0.3464</i>

I-Stiffeners (6063 T6 - MILL FINISH)




Part Number	Size (A x B x W)	Length(In)	Approx. wt/lin ft
<i>30-80-63-94-I</i>	<i>I-Stiffener 1.770" x 1.850" x .065" wall</i>	<i>94</i>	<i>0.43</i>




Post Stiffeners (6063 T6 - MILL FINISH)

5" H-Post Stiffeners (6063 T6 - MILL FINISH)




Part Number	Size	Length(In)	Approx. wt/lin ft
101-85-63-72	5" H-Post Stiffener	72	1.83
100-85-63-96	5" H-Post Stiffener	96	1.83
<i>110-85-63</i>	<i>5" H-Post Stiffener</i>	<i>288</i>	<i>1.83</i>

5" H-Post Stiffeners LT (6063 T6 - MILL FINISH)




Part Number	Size	Length(In)	Approx. wt/lin ft
LT-100-85-63-70	5" H-Post Stiffener LT	70	1.19
LT-100-85-63-96	5" H-Post Stiffener LT	96	1.19
LT-100-85-63-108	5" H-Post Stiffener LT	108	1.19

5" H-Post Stiffeners MED (6063 T6 - MILL FINISH)



Part Number	Size	Length(In)	Approx. wt/lin ft
MED-100-85-63-94	5" H-Post Stiffener MED	94	1.56

5" A-Post Stiffeners (6063 T6 - MILL FINISH)



Part Number	Size	Length(In)	Approx. wt/lin ft
150-85-63-72-A	5" A-Post Stiffener	72	2.188
150-85-63-96-A	5" A-Post Stiffener	96	2.188
<i>150-85-63-288-A</i>	<i>5" A-Post Stiffener</i>	<i>288</i>	<i>2.188</i>

Available for Mill Order



Round Spindles (6063 T52 Black Powder Coated MATTE)




Part Number	Size (Outer Dimension x Wall)	Length(In)	Approx. wt/lin ft
100-130-63-PBL-30	3/4" Rd. x .045" w.	30.5	0.127
105-130-63-PBL-32	3/4" Rd. x .045" w.	32	0.127
106-130-63-PBL-38	3/4" Rd. x .045" w.	38	0.127
<i>110-130-63-PBL-96</i>	<i>3/4" Rd. x .045" w.</i>	<i>96</i>	<i>0.127</i>

Round Spindles (6063 T52 Black Powder Coated GLOSS)

Part Number	Size (Outer Dimension x Wall)	Length(In)	Approx. wt/lin ft
<i>105-130-63-PBL-32</i>	<i>3/4" Rd. x .045" w.</i>	<i>32</i>	<i>0.127</i>
<i>106-130-63-PBL-38</i>	<i>3/4" Rd. x .045" w.</i>	<i>38</i>	<i>0.127</i>
<i>110-130-63-PBL-96</i>	<i>3/4" Rd. x .045" w.</i>	<i>195.5</i>	<i>0.127</i>

Square Spindles (6063 T52 Black Powder Coated MATTE)



Part Number	Size (A x B)	Length(In)	Approx. wt/lin ft
200-130-63-PBL-32	3/4" Sq. x .045" w.	32	0.166
200-130-63-PBL-36	3/4" Sq. x .045" w.	36	0.166
200-130-63-PBL-38	3/4" Sq. x .045" w.	38	0.166
205-130-63-PBL-96	3/4" Sq. x .045" w.	96	0.166

Square Spindles (6063 T52 Black Powder Coated GLOSS)

Part Number	Size (A x B)	Length(In)	Approx. wt/lin ft
<i>200-130-63-PBL-32</i>	<i>3/4" Sq. x .045" w.</i>	<i>32</i>	<i>0.166</i>
<i>200-130-63-PBL-36</i>	<i>3/4" Sq. x .045" w.</i>	<i>36</i>	<i>0.166</i>
<i>200-130-63-PBL-38</i>	<i>3/4" Sq. x .045" w.</i>	<i>38</i>	<i>0.166</i>
<i>205-130-63-PBL-96</i>	<i>3/4" Sq. x .045" w.</i>	<i>96</i>	<i>0.166</i>

Available for Mill Order



Sheet / Plate

3003 H14- MILL FINISH

Part Number	Size	Approx wt. Sheet (lbs)
<i>340-300-03-96</i>	<i>.040" x 48" x 96"</i>	<i>18.24</i>
<i>340-300-03-120</i>	<i>.040" x 48" x 120"</i>	<i>22.80</i>
363-300-03-96	.063" x 48" x 96"	28.75
363-300-03-120	.063" x 48" x 120"	35.90
<i>363-300-03-144</i>	<i>.063" x 48" x 144"</i>	<i>43.50</i>
363-300-03-60120	.063" x 60" x 120"	44.90
380-300-03-96	.080" x 48" x 96"	28.75
380-300-03-120	.080" x 48" x 120"	35.93
<i>390-300-03-96</i>	<i>.090" x 48" x 96"</i>	<i>41.20</i>
<i>390-300-03-120</i>	<i>.090" x 48" x 120"</i>	<i>51.33</i>
390-300-03-60120	.090" x 60" x 120"	64.16
3125-300-03-96	.125" x 48" x 96"	57.20
3125-300-03-120	.125" x 48" x 120"	71.28
<i>3125-300-03-144</i>	<i>.125" x 48" x 144"</i>	<i>85.55</i>
3125-300-03-60120	.125" x 60" x 120"	89.10
273-300-03-96	.1875" x 60" x 96"	110.00



5052 H32- MILL FINISH

Part Number	Size	Approx wt. Sheet (lbs)
<i>340-500-52-96</i>	<i>.040" x 48" x 96"</i>	<i>17.90</i>
<i>340-500-52-120</i>	<i>.040" x 48" x 120"</i>	<i>22.40</i>
363-500-52-96	.063" x 48" x 96"	28.16
<i>363-500-52-120</i>	<i>.063" x 48" x 120"</i>	<i>35.20</i>
<i>363-500-52-144</i>	<i>.063" x 48" x 144"</i>	<i>42.24</i>
<i>363-500-52-60120</i>	<i>.063" x 60" x 120"</i>	<i>44.00</i>
380-500-52-96	.080" x 48" x 96"	35.76
380-500-52-120	.080" x 48" x 120"	44.70
<i>390-500-52-96</i>	<i>.090" x 48" x 96"</i>	<i>40.25</i>
<i>390-500-52-120</i>	<i>.090" x 48" x 120"</i>	<i>50.30</i>
390-500-52-60120	.090" x 60" x 120"	62.86
3125-500-52-96	.125" x 48" x 96"	55.88
3125-500-52-120	.125" x 48" x 120"	69.80
<i>3125-500-52-144</i>	<i>.125" x 48" x 144"</i>	<i>83.76</i>
3125-500-52-60120	.125" x 60" x 120"	87.25

Available for Mill Order



Aluminum Canopy



J-Fascia (Gutter) (6063 T6 - MILL FINISH)

Part Number	Size	Length (In)	Approx. wt/lin ft
120-170-63	8" x 4" x 3" J-Fascia (Gutter)	288	2.713

Self Mating Pan (6063 T6 - MILL FINISH)

Part Number	Size	Length (In)	Approx. wt/lin ft
110-170-63	3" x 6" Self Mating Pan (Canopy)	288	1.026

Canopy Support Beam

Part Number	Alloy & Temper	Size	Length (In)	Approx. wt/lin ft
115-70-61	6061 T6	3" x 2.5" x .130" AA I-Beam	300	2.068
155-40-63	6063 T52	2" Sq. x .125" w. Square Tube	288	1.126
160-40-63	6063 T52	2" Sq. x .250" w. Square Tube	288	2.1

Tie Back Arm

Part Number	Alloy & Temper	Size	Length (In)	Approx. wt/lin ft
155-40-63	6063 T52	2" Sq. x .125" w. Square Tube	288	1.126
115-55-61	6061 T6	1 1/4" Sch. 40 Pipe	240	0.786
120-55-61	6061 T6	1 1/2" Sch. 40 Pipe	240	0.94

Available for Mill Order



MP1-A



MP3




MP3S

Staple System Extrusions (6063 T52 - MILL FINISH)

Part Number	Size	Length(In)	Approx. wt/lin ft
100-110-63-MP1A	MP-1A 1" x 1" x .100" wall Staple Extrusion	288	0.486
105-110-63-MP-3	MP-3 1" x 2" x .080" wall End Staple Extrusion	288	0.5472
110-110-63-MP3S	MP-3S 1" x 2" x .080" wall Side Staple Extrusion	288	0.629

Square Tube (A x B)	Rectangular Tube
1" Sq. x .093" w. Rad. Corner 1" Sq. x .125" w. 1" Sq. x .125" w. Rad. Corner 2" Sq. x .125" w. Rad. Corner	1" x 2" x .093" w. Rad Corner 1" x 2" x .125" w.

Available for Mill Order



Round Tube (6005 A T61 - MILL FINISH)

Part Number	Size (OD x W)	Length(In)	Approx. wt/lin ft
120-50-05	3/4" x .125"	288	0.294

Round Tube (6063 T52 - MILL FINISH)

Part Number	Size (OD x W)	Length(In)	Approx. wt/lin ft
<i>160-50-63</i>	<i>2.0" x .1875"</i>	<i>288</i>	<i>1.252</i>